

# Pro® Mask & EZ Painter's Corners



## Technical Data Sheet

**Pro® Mask & E-Z Painter's Corners is a blue 14-day safe release painter's tape conveniently packaged together with hang-tab and instructions.**

### Features & Benefits:

- Excellent conformability.
- Smooth backing for superior paint lines and reduced fingertip abrasion.
- Consistent, easy unwind.
- Resistant to moisture/humidity and paint bleed-through.
- Secure adhesion.
- Stain resistant.
- Low tack for clean removal for up to 14 days.
- Excellent UV resistance 14 days.
- Can be used on delicate surfaces.
- Clean removal from most surfaces including wallpaper.
- Pre-cut 90° corner.
- Dry-edge finger tab for ease of application and removal in one piece.
- Easy & convenient retail ready packaging.
- Barcode Ready.

### Technical Data

- ⇒ Backing: Fine structured crepe paper
- ⇒ Adhesive: Synthetic Rubber
- ⇒ Thickness: 5.7 mils
- ⇒ Tensile strength: 32 lbs. per inch
- ⇒ Elongation: 7%
- ⇒ Adhesion to steel: 26 oz./in
- ⇒ Service Temperature: 50°F to 200°F
- ⇒ ASTM D6123 / D6123M-97 (2012) Type 1

### Application:

Pro® Mask & E-Z Painter's Corners is used wherever masking will be exposed to weather/outdoors conditions, interior masking of windows (where adhesive will be directly exposed to sunlight), protective. Pro® Mask & E-Z Painter's Corners is ideal for painting corners of glass, windows, walls, woodwork, metal and vinyl. Pro® Mask & E-Z Painter's Corners is compatible for use on lacquer or polyurethane-coated surfaces, unfinished wood, wallpaper and new/unpainted or freshly painted wallboard.

ISO 9001  
Certified



621 Route One South. North Brunswick, NJ 08902

Toll Free #1-800-345-0234

sales@protapes.com

*Note: The above are typical values and should not be used in writing specifications. The determination of the suitability of this product for any specific use is solely the responsibility of the user. No representatives, guarantees or warranties of any kind are made to the accuracy or suitability for specific applications.*